


# PE Pipe— Design and Installation





**M55** 

# PE Pipe—Design and Installations

**Second Edition** 



Manual of Water Supply Practices—M55, First Edition

### PE Pipe—Design and Installation

Copyright © 2020 American Water Works Association

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information or retrieval system, except in the form of brief excerpts or quotations for review purposes, without the written permission of the publisher.

### Disclaimer

The authors, contributors, editors, and publisher do not assume responsibility for the validity of the content or any consequences of its use. In no event will AWWA be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of information presented in this book. In particular, AWWA will not be responsible for any costs, including, but not limited to, those incurred as a result of lost revenue. In no event shall AWWA's liability exceed the amount paid for the purchase of this book.

If you find errors in this manual, please email books@awwa.org. Possible errata will be posted at www. awwa.org/M55.

Managing Editor/Project Manager: Melissa Valentine

Technical Editor: Melissa Valentine

Cover Design/Technical Illustrations: Mike Labruyere Manager, Publishing Operations: Gillian Wink

Production: Innodata

Senior Specialist - Manuals: Willadee Hitchcock Manuals Coordinator 2: Janet Greifinger

### Library of Congress Cataloging-in-Publication Data

Library of Congress Control Number: 2020942018

Printed in the United States of America

ISBN 978-1-64717-020-2 eISBN 978-1-61300-560-6

DOI https://doi.org/10.12999/AWWA.M55ed2



All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including scanning, recording, or any information or retrieval system. Reproduction and commercial use of this material is prohibited, except with written permission from the publisher. Please send any requests or questions to permissions@awwa.org.



American Water Works Association 6666 West Quincy Avenue Denver, CO 80235-3098 awwa.org

# Contents

| List of Figure | s, vii                                 |
|----------------|--|
| List of Tables | , xi                                   |
| Preface, xiii  |  |
| Acknowledgr    | ments, xv                              |
| Chapter 1      | Engineering Properties of Polyethylene |
| Chapter 2      | Manufacturing, Testing, and Inspection |
| Chapter 3      | Hydraulics of PE Pipe                  |
| Chapter 4      | Working Pressure Rating                |
| Chapter 5      | External Loads                         |

|           | Basic Installation, 46 Engineered Installation, 47 Pipe Deflection, 47 Load on Pipe, 48 Pipe Stiffness, 50 Soil Stiffness, 51 Composite Soil Stiffness, 52 Bedding Coefficient, 52 Time Lag, 53 Embankment Condition, 53 Deflection Limits, 54 Flowable Fill, 54 Wall Buckling, 55 Wall Compressive Stress, 57 Examples, 57 References, 59 |
|-----------|--|
| Chapter 6 | Joining and Fittings   |
| Chapter 7 | Transportation, Handling, and Storage of Pipe and Fittings   |
| Chapter 8 | Installation   |
| Chapter 9 | Hydrotesting and Commissioning   |

|                           | Records, 108 Disinfection, 108 Commissioning, 109 References, 109                       |  |
|---------------------------|---|--|
| Chapter 10                | Maintenance and Repairs   |  |
|                           | Repairs, 113 New Service Connections, 113 New Connections to Mains, 114 References, 117 |  |
| Chapter 11                | Trenchless Installations  |  |
| Appendix A                | Model Specifications for PE4710   |  |
| Appendix B                | Earthquake Applications   |  |
| Appendix C                | Marine Installations  |  |
| Appendix D                | Case Studies  |  |
| Appendix E                | PE4710 Pipe Data  |  |
| Index, 163                |   |  |
| List of AWWA Manuals, 171 |   |  |

This page intentionally blank.

## **Figures**

| 1-1 | Example and performance features of the modes of a bimodal PE pressure pipe |
|-----|---|
|     | resin, 3  |

- 1-2 Traditional model of HDPE, 4
- 1-3 Generalized tensile stress-strain curve for PE pipe grades, 6
- 2-1 Typical extrusion line, 20
- 2-2 Typical pipe extruder, 21
- 2-3 Typical injection molding machine, 22
- 2-4 Prefabricated 90° elbow being attached in field, 23
- 3-1 Moody diagram, 29
- 5-1 Flexible Pipe Deflection, 44
- 5-2 Trench construction and terminology, 45
- 5-3 Ovality correction factor, 56
- 6-1 Butt fusion joint, 63
- 6-2 Typical butt fusion machine (butt fusion machines are available to fuse pipe up to 65 in. in diameter), 63
- 6-3 Conventional saddle fusion joint, 65
- 6-4 Typical electrofusion saddle fusion, 66
- 6-5 Socket fusion joining, 67
- 6-6 Typical electrofusion joint, 68
- 6-7 Typical electrofusion fitting, 68
- 6-8 Mechanical compression coupling with restraint—PE restrained by electrofusion flex restraints—PVC pipe restrained using a tapered gripping ring, 70
- 6-9 PE flange adapter, 71
- 6-10 Mechanical flange adapter with insert stiffener, 72
- 6-11 MJ adapter, 72
- 6-12 Transition fittings, 73
- 6-13 Molded and fabricated elbows, 74
- 6-14 Electrofusion branch saddle connected to gate valve by MJ adapters, 75
- 6-15 Conventional saddle fusion and electrofusion branch saddles, 75
- 6-16 Mechanical tapping saddle, 76
- 6-17 Saddle tapping tees, 77
- 6-18 Corporation stop saddles, 77
- 6-19 HDPE Service Line, 77
- 7-1 Typical silo pack truckload, 82
- 7-2 Typical bulk pack truckload, 83

- 7-3 Typical strip load truckload, 83
- 7-4 Forklift load capacity, 85
- 7-5 Loose pipe storage, 86
- 8-1 Trench box installation, 92
- 8-2 Trench Width, 93
- 8-3 Soil padding for buried pipeline, 96
- 8-4 Bend radius, 98
- 8-5 Pullout prevention technique, 99
- 8-6 Pullout prevention technique, 100
- 8-7 In-line anchor using flex restraint, 100
- 8-8 In-line anchor using integral pipe collar (wall anchor), 100
- 8-9 Controlling shear and bending, 102
- 8-10 Flange support at wall, 102
- 8-11 Appurtenance support pad, 103
- 10-1 Attachment of mechanical saddle, 114
- 10-2 Corp stop attached to mechanical saddle, 114
- 10-3 Electrofusion processor, 115
- 10-5 A 6-in. outlet saddle with MJ adapter for fusion on 8-in. PE pipe, 115
- 10-4 Electrofusion saddle with corp stop and cutter attached through corp stop to make hot tap [use new 10-19.jpg full size file on onedrive], 115
- 10-6 Electrofusion coupling connecting PE reducing tee with mechanical joint adapter to, 115
- 10-7 In-the-trench sidewall fusion to attach PE pipeline saddle to water line, 116
- 10-8 Tapping sleeve with MJ outlet, 116
- 10-9 Compression by flange coupling for use in joining PE to other materials, 116
- 11-1 Typical HDD drill rig. (Note: can be set up within one traffic lane.), 121
- D-1 San Antonio Water System, 136
- D-2 West Monroe, LA, 137
- D-3 City of Lago Vista, TX, 138
- D-4 Fort Wayne City Utilities, IN, 139
- D-5 Mammoth Cave National Park Project, 140
- D-6 City of Duluth, MN, 141
- D-7 City of Casselberry, FL, 142
- D-8 Citizens Energy Group-White River Water, 143
- D-9 East Bay Municipal Utility District, CA, 144
- D-10 City of Miami Beach, FL, 145
- D-11 East Windsor Municipal Utility District, NJ, 146
- D-12 City of Arlington, TX, 147
- D-13 City Utilities of Springfield, MO, 148
- D-14 City of Fort Lauderdale, FL, 149
- D-15 Harris County MUD, Houston, TX, 150

- D-16 City of Palo Alto, CA Waverly, 151
- D-17 Citizens Energy Group, IN, 152
- D-18 City of Tulsa, OK, 153
- D-19 Colorado Springs Utilities, CO, 154
- D-20 City of Maple Ridge, BC, Canada, 155
- D-21 King County Wastewater Treatment Division, WA, 156
- D-22 US Army Corps of Engineers, VA, 157
- D-23 City of Palo Alto, CA Sewer Rehabilitation, 158

This page intentionally blank.