

Glazing for buildings —

Part 2: Code of practice for energy, light and sound

ICS 81.040.20

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee B/520, Glass and glazing in building, to Subcommittee B/520/4, Properties and glazing methods, upon which the following bodies were represented:

British Adhesives and Sealants Association
British Plastics Federation
British Woodworking Federation
Consumer Policy Committee of BSI
Council for Aluminium in Building
Flat Glass Manufacturers' Association
Glass and Glazing Federation
Nottingham University
Office of the Deputy Prime Minister — Building Division
Office of the Deputy Prime Minister — represented by the BRE
RICS Building Control Forum
Co-opted members

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 14 October 2005

© BSI 14 October 2005

First published as BS 973, 1941
Second edition 1945
Third edition, as CP 152, January 1960
Fourth edition, August 1966
Fifth edition, July 1972
Sixth edition, as BS 6262, June 1982
Seventh edition, as BS 6262-2, October 2005

The following BSI references relate to the work on this British Standard:
Committee reference B/520/4
Draft for comment 97/102384 DC

Amendments issued since publication

Amd. No.	Date	Comments

ISBN 0 580 46775 9

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Energy	2
5 Light	15
6 Sound	18
<hr/>	
Annex A (informative) Design skies	24
<hr/>	
Bibliography	25
<hr/>	
Figure 1 — Performance of different glass products showing the relationship between light transmission and total solar energy transmission	4
<hr/>	
Table 1 — Properties of a typical range of clear and body-tinted glass products	5
Table 2 — Properties of a typical range of clear glass and reflective coated glass products	6
Table 3 — Properties of a typical range of laminated glass products with clear and tinted interlayers and clear glass	6
Table 4 — Properties of a typical range of insulating glass units with clear float inner pane	8
Table 5 — Properties of a typical range of insulating glass units with hard coat low emissivity inner pane	9
Table 6 — Properties of a typical range of insulating glass units with soft coat low emissivity inner pane	10
Table 7 — Thermal transmittance (U value) of glass products: Single glazing	11
Table 8 — Thermal transmittance (U value) of glass products: Insulating glass units	12
Table 9 — Thermal transmittance (U value) of glass products: Coupled glazing	12
Table 10 — Thermal transmittance (U value) of single and double plastics glazing sheet materials	13
Table 11 — Light transmission correction factors	15
Table 12 — Typical sound reduction properties of single glazing	21
Table 13 — Typical sound reduction properties of insulating glass units and secondary glazing	22
Table 14 — Sound reduction: Single plastics glazing sheet material	23
Table 15 — Sound reduction: Double glazing, both panels the same thickness of plastics glazing sheet material	23

Foreword

This part of BS 6262 has been prepared under the direction of Subcommittee B/520/4, Properties and glazing methods. It partially supersedes BS 6262:1982, which will be withdrawn upon publication of all seven parts of the newly revised and restructured BS 6262. BS 6262:1982 is being revised and restructured to simplify its use and will be published in seven parts:

- *Part 1: General methodology for the selection of glazing;*
- *Part 2: Code of practice for energy, light and sound;*
- *Part 3: Code of practice for fire, security and wind loading;*
- *Part 4: Code of practice for safety related to human impact;*
- *Part 5: Code of practice for frame design considerations;*
- *Part 6: Code of practice for special applications;*
- *Part 7: Code of practice for provision of information.*

Requirements for standards of workmanship for glazing have been published separately as BS 8000-7 and therefore this subject is not dealt with in this standard.

Since the correct selection of materials to be used in glazing for buildings depends on many factors, the recommendations in this part of the standard should be used in conjunction with those in the other parts.

As a code of practice, this British Standard takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 25 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.