

DIN EN 515



ICS 01.040.77; 77.120.10; 77.150.01

Supersedes
DIN EN 515:1993-12

**Aluminium and aluminium alloys –
Wrought products –
Temper designations;
English version EN 515:2017,
English translation of DIN EN 515:2017-05**

Aluminium und Aluminiumlegierungen –
Halbzeug –
Bezeichnungen der Werkstoffzustände;
Englische Fassung EN 515:2017,
Englische Übersetzung von DIN EN 515:2017-05

Aluminium et alliages d'aluminium –
Produits corroyés –
Désignation des états métallurgiques;
Version anglaise EN 515:2017,
Traduction anglaise de DIN EN 515:2017-05

Document comprises 27 pages

Translation by DIN-Sprachendienst.

In case of doubt, the German-language original shall be considered authoritative.

A comma is used as the decimal marker.

National foreword

This document (EN 515:2017) has been prepared by Technical Committee CEN/TC 132 “Aluminium and aluminium alloys” (Secretariat: AFNOR, France).

The responsible German body involved in its preparation was *DIN-Normenausschuss Nichteisenmetalle* (DIN Standards Committee Nonferrous Metals), Working Committee NA 066-01-06 AA “Sheet, strip and plate”.

Amendments

This standard differs from DIN EN 515:1993-12 as follows:

- a) Clause 2 “Normative references” has been added;
- b) in Clause 3, new definitions and sources have been included;
- c) in 6.1 and 7.3, the precision has been improved;
- d) in Clause 7, the introduction has been updated;
- e) a new Table 1 has been included and Table 2 has been modified;
- f) the content of 8.4 has been improved;
- g) Figure 1 has been modified;
- h) in Table 3, new tempers have been included; T552, T554, T72, T72510, T72511, T74511, T7452, T7454, T7752, T7754, T7852, T7854, T7952 and T7954;
- i) in Table 3, new tempers have been modified; H131, T3510;
- j) Annex A has been updated.

Previous editions

DIN EN 515: 1993-12

EUROPEAN STANDARD

EN 515

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2017

ICS 01.040.77; 77.120.10; 77.150.01

Supersedes EN 515:1993

English Version

Aluminium and aluminium alloys - Wrought products - Temper designations

Aluminium et alliages d'aluminium - Produits corroyés -
Désignation des états métallurgiques

Aluminium und Aluminiumlegierungen - Halbzeug -
Bezeichnungen der Werkstoffzustände

This European Standard was approved by CEN on 6 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CEN All rights of exploitation in any form and by any means reserved
worldwide for CEN national Members.

Ref. No. EN 515:2017 E

This is a preview. [Click here to purchase the full publication.](#)

Contents

Page

European foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions	4
4 Basis of codification	6
5 Basic temper designations.....	6
5.1 F - as fabricated	6
5.2 O - Annealed	6
5.3 H - Strain-hardened	6
5.4 W - Solution heat-treated	7
5.5 T - Thermally treated to produce stable tempers other than F, O or H (for heat-treatable alloys only)	7
6 Subdivision of O (annealed) temper designations.....	7
6.1 O1 - High temperature annealed and slow cooled	7
6.2 O2 - Thermo-mechanically processed	7
6.3 O3 - Homogenized	7
7 Subdivision of H (strain-hardened) temper designations	7
8 Subdivision of T (thermally treated to produce stable tempers other than F, O or H) temper designations	10
8.1 First digit after T.....	10
8.2 Additional digits added to designations T1 to T10.....	12
8.3 Assigned additional digits for stress-relieved T tempers	12
8.3.1 Stress-relieved by stretching	12
8.3.2 Stress-relieved by compressing.....	13
8.3.3 Stress-relieved by combined stretching and compressing.....	13
8.3.4 Assigned additional digits for stress-relieved W tempers.....	13
8.4 Assigned additional digits for variations of T7 type tempers.....	13
8.5 Demonstration of response to heat treatment.....	14
8.5.1 Temper designations for producer/supplier — Laboratory demonstration of response to heat treatment.....	14
8.5.2 Temper designations for producer/supplier — Demonstration of response to temper conversion	14
8.5.3 Temper designations for purchaser/user heat treatment	14
9 Summary	14
Annex A (informative) Recommendations for further T tempers extensions	23
A.1 Numeral 1 as a second digit after T	23
A.2 Numerals 1 and 3 to 9 as a second digit after T3, T8 or T9	23
A.3 Numerals 1 and 3 to 5 as a second digit after T5 or T6	23
A.4 Numeral 6 as a second digit after T5 or T6	23
A.5 Summary of possible uses of a second digit after T	23
Bibliography	25