

JAPANESE INDUSTRIAL STANDARD

Translated and Published by Japanese Standards Association

 $JIS\ T\ 8101\ :\ 2006$

(ICAA/ICA)

This is a preview - click here to buy the full publication

T 8101: 2006

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Safety Appliances Association (JSAA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently JIS T 8101: 1997 is replaced with this Standard.

This revision has been made based on ISO 8782-1:1998 Safety, protective and occupational footwear for professional use—Part 1:Requirements and test methods, ISO 8782-2: 1998 Safety, protective and occupational footwear for professional use—Part 2:Specification for safety footwear, ISO 8782-3: 1998 Safety, protective and occupational footwear for professional use—Part 3:Specification for protective footwear, ISO 8782-4: 1998 Safety, protective and occupational footwear for professional use—Part 4:Specification for occupational footwear, ISO 8782-5:2000 Safety, protective and occupational footwear for professional use—Part 5:Additional requirements and test methods, ISO 8782-6:2000 Safety, protective and occupational footwear for professional use—Part 6:Additional specifications for safety footwear, ISO 8782-7:2000 Safety, protective and occupational footwear for professional use—Part 7:Additional specifications for professional use—Part 8:Additional specifications for occupational footwear for professional use—Part 8:Additional specifications for occupational footwear for the purpose of making it easier to compare this Standard with International Standards: to prepare Japanese Industrial Standards.

This is a preview - click here to buy the full publication

lict with lel right

or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Date of Establishment: 1972-03-01 Date of Revision: 2006-03-25

Date of Public Notice in Official Gazette: 2006-03-27

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Protective Equipment for Occupational

Safety

JIS T 8101: 2006, First English edition published in 2006-09

Translated and published by: Japanese Standards Association 4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2006

Inte

Atte

a pa

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

Contents

		Page
Intro	duction	1
1	Scope	1
2	Normative references	2
3	Definitions	2
4	Classification	3
5	Performance	3
5.1 5.2 5.3 5.4 5.5 5.6	Impact resistance and compression resistance. Separation resistance of outsole. Leakage prevention property. Penetration resistance. Impact energy absorbing property at heel part. Slip resistance.	3 4 4 4
5.7 6 6.1 6.2	I his is a proviour allow para to built the full buildingtion	4 4
7	Sizes of safety shoes.	5
8 8.1 8.2	Materials Instep cover Outsole	5
9 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8	Test methods	
9.9 9.10	Instep cover test Outsole test	
10	Inspection	18
11	Designation of products	19
12	Marking	19