



UL 514C

STANDARD FOR SAFETY

Nonmetallic Outlet Boxes, Flush-Device
Boxes, and Covers

UL Standard for Safety for Nonmetallic Outlet Boxes, Flush-Device Boxes, and Covers, UL 514C

Fourth Edition, Dated April 8, 2014

Summary of Topics

This revision of ANSI/UL 514C dated August 18, 2020 includes changes needed to accommodate the use of an overmold or overlay material to close small openings in boxes for airseal applications; [19.3A](#), [19.4](#), [34.2.3](#), and [92.1.9](#).

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated June 12, 2020.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

APRIL 8, 2014
(Title Page Reprinted: August 18, 2020)



ANSI/UL 514C-2020

1

UL 514C

Standard for Nonmetallic Outlet Boxes, Flush-Device Boxes, and Covers

First Edition – August, 1979
Second Edition – October, 1988
Third Edition – December, 1996

Fourth Edition

April 8, 2014

This ANSI/UL Standard for Safety consists of the Fourth Edition including revisions through August 18, 2020.

The most recent designation of ANSI/UL 514C as an American National Standard (ANSI) occurred on August 18, 2020. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

The Department of Defense (DoD) has adopted UL 514C on August 17, 1989. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2020 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

INTRODUCTION

1	Scope	9
2	Terminology	9
3	Glossary	9
4	Units of Measurement	10
4A	Normative References	10

BOXES AND COVERS

CONSTRUCTION

5	General	10
5.1	All boxes and covers	10
5.2	Boxes and covers intended for use with nonmetallic-sheathed cable or open wiring	11
5.3	Boxes and covers intended for use with rigid nonmetallic conduit	11
5.4	Nonmetallic outlet box covers for use in damp and wet locations	12
5.5	Boxes and covers intended for use with electrical nonmetallic tubing	12
6	Protection Against Corrosion	12
7	Assembly	13
8	Dimensions	14
9	Device Support	14
10	Floor Boxes	14
11	Ceiling-Suspended Fan Support	14
12	Partitions	14

PERFORMANCE

13	General	15
14	Protection Against Corrosion	15
15	Volume Verification Test	17
16	Scrub-Water Exclusion Test	17
17	Floor Box and Cover Loading Test	18
18	Support for Floor Boxes	18

BOXES INTENDED FOR USE WITH NONMETALLIC-SHEATHED CABLE OR OPEN WIRING

CONSTRUCTION

19	Materials	18
----	-----------------	----

PERFORMANCE

20	Hot-Wire Ignition	19
21	Dielectric Voltage Withstand	19

BOXES INTENDED FOR USE WITH NONMETALLIC-SHEATHED CABLE OR OPEN WIRING

CONSTRUCTION

22	Knockouts	19
23	Connections for Wiring Systems	20

24	Clamps for Nonmetallic-Sheathed Cable	20
25	Supports	21
26	Grounding	21
27	Extension Rings	21
28	Box Extenders	22

PERFORMANCE

29	Knockouts	23
30	Clamps for Nonmetallic-Sheathed Cable	23
	30.1 Pull Test	23
	30.2 Assembly at Low Temperature Test	23
31	Clamps for Flexible Nonmetallic Tubing	24
32	Supports	24
	32.1 General	24
	32.2 Fixture/Luminaire support	24
	32.3 Ceiling-suspended fan support	25
	32.4 Boxes intended to be installed in a finished structure	26
	32.5 Boxes for support of products up to 50 pounds (22.7 kg)	26
	32.6 Polymeric supporting means	26
33	Water Absorption	27
34	Flammability	27
	34.1 Materials	27
	34.2 Boxes	29
35	Mold Stress	31
36	Resistance to Crushing	31
37	Resistance to Impact	32
38	Threaded or Unthreaded Holes for Screws in Molded Bosses	33
39	Openings Employing Quick-Set Fastening Devices	34

COVERS FOR BOXES INTENDED FOR USE WITH NONMETALLIC-SHEATHED CABLE OR OPEN WIRING

CONSTRUCTION

40	Materials	35
	40.1 General	35
	40.2 Relative thermal index	35
41	Holes in Outlet Box Covers	35

PERFORMANCE

42	Flammability	36
43	Outlet Box Covers for Support of a Device	37

NONMETALLIC OUTLET BOX COVERS FOR USE IN DAMP AND WET LOCATIONS

CONSTRUCTION

44	General	37
45	Protection Against Corrosion	38
46	Relative Thermal Index of Materials	38
47	Gaskets	38
48	Installation of Receptacles	38

PERFORMANCE

49	General	38
50	Sealing Compound	39
51	Gaskets	39
52	Resistance to Moisture	39
	52.1 General	39
	52.2 Assemblies for use in wet locations and wet locations with cover closed	40
	52.3 Assemblies for use in wet locations	40
53	Resistance to Ultraviolet Light and Water	41
54	Mold Stress	42
55	Water Absorption	42
56	Dielectric Voltage Withstand	42
57	Hot-Wire Ignition	42
58	Crushing	43
59	Impact	43
60	Flammability	43

BOXES INTENDED FOR USE WITH ELECTRICAL NONMETALLIC TUBING**CONSTRUCTION**

61	General	44
----	---------------	----

PERFORMANCE

62	General	44
----	---------------	----

COVERS INTENDED FOR USE WITH BOXES INTENDED FOR USE WITH ELECTRICAL NONMETALLIC TUBING**CONSTRUCTION**

63	General	45
----	---------------	----

PERFORMANCE

64	General	45
----	---------------	----

BOXES AND COVERS INTENDED FOR USE WITH RIGID NONMETALLIC CONDUIT**CONSTRUCTION**

65	General	45
66	Bodies, Boxes, and Covers	46
	66.1 General	46
	66.2 Thickness	46
	66.3 Connections for conduit	46
	66.4 Covers	48
67	Boxes Intended for Use in Wet Locations	51
68	Conduit Bodies	51

PERFORMANCE

69	General	53
70	Knockouts	53
71	Supports	53
72	Closures	53
73	Water Absorption	54
74	Flame-Retardant Properties	54
75	Heat Distortion	54
76	Extrusion or Molding Process	54
77	Physical Properties	55
	77.1 General	55
	77.2 Preparation of specimens	55
	77.3 Test method	57
78	Identification Tests	57
79	Flexural Strength	58
80	Resistance to Crushing	58
81	Low-Temperature Handling	58
82	Resistance to Impact	58
83	Bending	59
84	Pull Out	60
85	Resistance to Specific Reagents	60
86	Wet Locations	61
87	Concrete Tightness	65

FLOOR NOZZLES

CONSTRUCTION

88	Materials	65
	88.1 General	65
	88.2 Relative thermal index	66

PERFORMANCE

89	General	66
90	Resistance to Impact	66
91	Resistance to Crushing	67

MARKING

92	Details	68
	92.1 General	68
	92.2 Boxes intended for use with nonmetallic-sheathed cable or open wiring	70
	92.3 Boxes intended for use with rigid nonmetallic conduit	71
	92.4 Outlet box covers for use in wet and damp locations	71
	92.5 Boxes intended for use with electrical nonmetallic tubing	71
	92.6 Assemblies encompassing receptacles and nonmetallic covers	71
93	Instructions	72

SUPPLEMENT SA – NONMETALLIC OUTLET BOXES FOR MARINE USE

GENERAL

SA1	Scope	73
SA2	Glossary	73