



UL 1730

STANDARD FOR SAFETY

Smoke Detector Monitors and Accessories for
Individual Living Units of Multifamily Residences
and Hotel/Motel Rooms

UL Standard for Safety for Smoke Detector Monitors and Accessories for Individual Living Units of Multifamily Residences and Hotel/Motel Rooms, UL 1730

Fourth Edition, Dated December 29, 2006

Summary of Topics

This revision of ANSI/UL 1730 is being issued to update the title page to reflect reaffirmation of ANSI approval.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin. Changes in requirements are marked with a vertical line in the margin and are followed by an effective date note indicating the date of publication or the date on which the changed requirement becomes effective.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

December 29, 2006
(Title Page Reprinted: June 9, 2017)



ANSI/UL 1730-2007 (R2017)

1

UL 1730

Standard for Smoke Detector Monitors and Accessories for Individual Living Units of Multifamily Residences and Hotel/Motel Rooms

First Edition – September, 1987
Second Edition – September, 1994
Third Edition – September, 1998

Fourth Edition

December 29, 2006

This ANSI/UL Standard for Safety consists of the Fourth Edition including revisions through June 9, 2017.

The most recent designation of ANSI/UL 1730 as a Reaffirmed American National Standard (ANS) occurred on June 9, 2017. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2017 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

INTRODUCTION

1 Scope	6
2 General	7
2.1 Components	7
2.2 Units of measurement	7
2.3 Undated references	7
3 Glossary	8

INSTRUCTIONS AND DRAWINGS

4 General	9
4.1 Installation wiring diagram	9
4.2 Operating instructions	11

CONSTRUCTION

ASSEMBLY

5 Protection of Service Personnel	12
6 Enclosures	13
6.1 General	13
6.2 Cast metal	17
6.3 Sheet metal	18
6.4 Nonmetallic	20
6.5 Doors and covers	21
6.6 Screens and expanded metal	22
6.7 Battery compartments	22
7 Electric Shock	23
7.1 Shock current	23
7.2 Antenna terminals	23
7.3 Circuit element replacement	23
8 Accessibility of Uninsulated Live Parts, Film-Coated Wire, and Moving Parts	24
9 Protection Against Corrosion	26

FIELD-WIRING CONNECTIONS

10 General	27
11 Supply Connections	27
12 Field-Wiring Compartment	27
13 Power-Limited Circuits	27
14 Field-Wiring Terminals	28
14.1 General	28
14.2 General application	28
14.3 Qualified application	29
15 Field-Wiring Leads	30
16 Grounding	30

INTERNAL WIRING AND ASSEMBLY

17 General	31
18 Separation of Circuits	31
19 Bonding for Grounding	32

COMPONENTS – ELECTRICAL

20 General	33
20.1 Mounting of components	33
20.2 Insulating materials	34
20.3 Current-carrying parts	35
20.4 Bushings	35
21 Switches	36
22 Lampholders and Lamps	36
23 Transformers and Relays	37
24 Printed-Wiring Boards	37
25 Protective Devices	37
26 Overcurrent Protection	37
27 Storage Batteries	38
28 End-of-Line Devices	38
29 Spacings	38

OPERATING COMPONENTS

30 General	40
------------------	----

INTERCONNECTION OF UNITS

31 General	41
31.1 Cords and plugs	41
31.2 Strain relief	41

PERFORMANCE

32 General	41
33 Normal Operation Test	42
34 Electrical Supervision Test	43
35 Input and Output Characteristics Test	44
36 Power-Limited Circuits	44
36.1 General	44
36.2 Maximum voltage	46
36.3 Maximum current	46
36.4 VA_{max} (not inherently limited circuits only)	47
37 Mechanical Strength Tests	47
37.1 Jarring – complete unit	47
37.2 Impact – glass parts	48
38 Polymeric Materials Tests	49
39 Temperature Test	49
40 Overvoltage and Undervoltage Operation Test	52
41 Variable Ambient Temperature Test	53
42 Humidity Test	53
43 Electric Shock Current Test	53

44	Leakage Current Test	57
45	Transient Tests	60
45.1	General	60
45.2	Supply line transients	60
45.3	Internally induced transients	62
45.4	Signal circuit transients	62
46	Overload Tests	63
46.1	General	63
46.2	Separately energized circuits	64
47	Endurance Test	64
48	Dielectric Voltage-Withstand Test	64
49	Abnormal Operation Tests	65
49.1	General	65
49.2	Shorted output circuit test	65
49.3	Component failure tests	65
50	Strain Relief Tests	66
50.1	Field-wiring leads	66
50.2	Flexible cords	66
51	Tests on Terminal Assemblies for Qualified Applications	66
51.1	General	66
51.2	Mechanical secureness	67
51.3	Flexing test	67
51.4	Millivolt drop test	67
51.5	Temperature test	67

MANUFACTURING AND PRODUCTION LINE TESTS

52	Dielectric Voltage-Withstand Test	68
----	---	----

MARKING

53	General	69
54	Permanence of Marking	71

APPENDIX A

Standards for Components.....	A1
-------------------------------	----