
CAN/ULC-S705.2:2005-R2016 (Reaffirmed 2016)

STANDARD FOR THERMAL INSULATION - SPRAY APPLIED RIGID POLYURETHANE FOAM, MEDIUM DENSITY - APPLICATION

Prepared and Published by:



Approved by:



This is a preview. Click here to purchase the full publication.

Underwriters Laboratories of Canada (ULC) was established in 1920 by letters patent issued by the Canadian Government. It maintains and operates laboratories and certification services for the examination, testing and certification of appliances, equipment, materials, constructions and systems to determine their relation to life, fire and property hazards as well providing inspection services.

Underwriters Laboratories of Canada is accredited by the Standards Council of Canada as a Certification Organization, a Testing Organization, and an Inspection Body under the National Standards System of Canada.

ULC Standards develops and publishes standards and other related publications for building construction, security and burglar protection, environmental safety, electrical equipment, fire protection equipment, gas and oil equipment, thermal insulation products, materials and systems, energy use in the built environment and electrical utility safety.

ULC Standards is a not-for-profit organization and is accredited by the Standards Council of Canada as a Standards Development Organization.

National Standards of Canada developed by ULC Standards conform to the criteria and procedures established by the Standards Council of Canada. Such standards are prepared using the consensus principle by individuals who provide a balanced representation of interests relevant to the subject area on a national basis.

ULC is represented across Canada as well as many countries worldwide. For further information on ULC services, please contact:

Customer Service: 1-866-937-3852

National Standard of Canada

A National Standard of Canada is a standard developed by an SCC-accredited Standards Development Organization (SDO), and approved by the Standards Council of Canada (SCC), in accordance with SCC's: Requirements and Guidance-Accreditation for Standards Development Organizations, and Requirements and Guidance-Approval of National Standards of Canada Designation. More information on National Standard requirements can be found at www.scc.ca.

An SCC-approved standard reflects the consensus of a number of experts whose collective interests provide, to the greatest practicable extent, a balance of representation of affected stakeholders. National Standards of Canada are intended to make a significant and timely contribution to the Canadian interest.

SCC is a Crown corporation within the portfolio of Industry Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts. Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Users should always obtain the latest edition of a National Standard of Canada from the standards development organization responsible for its publication, as these documents are subject to periodic review.

CORPORATE HEADQUARTERS

Underwriters Laboratories of Canada 7 Underwriters Road Toronto, Ontario M1R 3A9 Telephone: (416) 757-3611 Fax: (416) 757-9540

REGIONAL OFFICES

PACIFIC OFFICE

13775 Commerce Parkway, Suite 130 Richmond, British Columbia V6V 2V4 Telephone: (604) 214-9555 Fax: (604) 214-9550 EASTERN OFFICE
6505, Rte Transcanadienne, Suite 330
St-Laurent, Québec H4T 1S3
Telephone: (514) 363-5941

Fax: (514) 363-7014

For further information on ULC standards, please contact:

ULC STANDARDS

171 Nepean Street, Suite 400 Ottawa, Ontario K2P 0B4 Telephone: (613) 755-2729 Fax: (613) 231-5977 E-mail: customerservice@ulc.ca

Web site: www.ulc.ca

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for this particular application.

Copies of this National Standard of Canada may be ordered from ULC Standards.

CETTE NORME NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE


STANDARD FOR THERMAL INSULATION - SPRAY APPLIED RIGID POLYURETHANE FOAM, MEDIUM DENSITY - APPLICATION

ICS 03.120; 91.120.10

Prepared and Published by:



Approved by:



First Edition (CAN/CGSB-51.39)	September	1992
First Edition (CAN/ULC-S705.2)	April	1998
Second Edition	February	2005
REAFFIRMED	.FEBRUARY	2016

Copyright © 2016

ULC Standards

All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior permission.

This is a preview. Click here to purchase the full publication.



TABLE OF CONTENTS

UL	C CC	DMMITTEE ON THERMAL INSULATION MATERIALS & SYSTEMS	i
UL		SK GROUP ON POLYURETHANE FOAM THERMAL INSULATION AND S	
PR		CE	
		DPE	
		ERENCES	
		RMINOLOGY	
4.	4.1	QUIREMENTSMANUFACTURER/SUPPLIER	44 4
	4.2	LICENSED CONTRACTOR	
	4.3	LICENSED INSTALLER	
	4.4 4.5	MATERIALEQUIPMENT	
	4.6	INSTALLATION	
5.	APP	PLICATIONS	
		TING	
•	6.1	SAMPLING	9
	6.2	PREPARATION OF SPECIMENS	
	6.3	TEST METHODS	
		6.3.1.2 Principle	9
		6.3.1.3 Apparatus	10
		6.3.1.4 Procedure	
		6.3.2 Cohesion and Adhesion	
		6.3.3.2 Apparatus	
		6.3.3.3 Procedure	11
		6.3.4 Cohesion Test	
	6.4	6.3.5 Verification of Substrate (Application Surface) Preparation	
7.		RKING AND LABELLING	
٠.	7.1	MANUFACTURER'S MARKING	
	7.2	JOB SITE LABEL	12
8.	MAN	NUFACTURER'S DOCUMENTATION	12
9.	LIMI	TATIONS	13
FIC	SURE	ES	14
ΑN	NEX	A - SUBSTRATE PREPARATION	16
A.1	Gen	eral	16
A.2	Woo	od, Gypsum Board and Fibreboard	16
A .3	Cond	crete	16
A.4	Galv	anized Steel	16
A.5	Pre-	painted Substrates	16
A.6	Bare	e Steel	16
A.7	'Stair	nless Steel	17

A.8 Aluminum	17
A.9 Glass	17
A.10 Polyvinyl Chloride (PVC)	17
A.11 Acrylonitrile Butadiene Styrene (ABS)	17
A.12 Polypropylene and Polyethylene	17
A.13 Asphalt and Tar	17
A.14 Solvents	18
A.15 Spray Polyurethane Foam	18
A.16 Earth	18
A.17 Modified Bitumen Membrane	18
ANNEX B - CHEMICAL COMPONENT (SYSTEM) SELECTION	19
B.1 General	19
B.2 Density	19
B.3 Combustibility	19
B.4 Service Temperature	19
ANNEX C - CLIMATIC FACTORS	20
C.1Ambient/Substrate Temperature	20
C.2Moisture/Humidity	20
C.3Wind	20
C.4Sun/Shade	20
ANNEX D - JOB-SITE SET-UP	21
D.1 General	21
D.2Outdoor Spraying	21
D.3Warning Signs	21
D.4 Garbage Disposal	21
D.5Fire Extinguisher	21
D.6Masking	21
D.7 Requirements When Installing Spray Polyurethane Foam in Inhabited Buildings	21
ANNEX E - TROUBLESHOOTING & REPAIR	23
E.1 Colour	23
E.2 Hardness	23
E.3 Cell Size	23
E.4 Friability	23
E.5 Thermal Cracking	24
E.6 Surface Tack	24
E.7 Speed of Reaction	24
E.8 Product Verification	24
ANNEX F - HANDLING AND SAFETY	25
F.1 Health Hazards of Isocyanates	25
F.2 Employee Safety Requirements	25
F 3 First Aid	25

F.3.1 INHALATION	25
F.3.2 Skin Contact	
F.3.3 Eye Contact	
F.3.4 Ingestion	26
F.4 Handling of Spills	26
F.5 Guidelines for Fire Safety and Extinguishing	
F.5.2 Extinguishing Of Fire	28
ANNEX G - DISPOSAL AND DETOXIFICATION OF DRUMS	
G.1Isocyanate Drums	29
G.2Resin Drums	30
ANNEX H - RELATED PUBLICATIONS	31
ANNEX I - DAILY WORK RECORD	32
ANNEX J - JOB SITE LABEL	34
ANNEX L - MINIMUM REQUIREMENTS FOR SITE TEST KIT	39
APPENDIX A - (INFORMATIVE)	40